







海思创桌面、椅板系列产品采用零甲醛、高强度、耐老化的纤维水泥板为基材,设计风格极简自然,生产制作安装过程不含任何 有毒、有害物质,公司产品通过了欧盟CE认证,是真正的新一代绿色环保产品。可根据客户需要制作办公会议桌、餐桌、宿舍书桌、户 外公园椅等系列产品。

HAISICHUANG desktop and chair panel series products use fiber cement boards that are formaldehyde-free, high-strength, and aging-resistant as the base material. The design style is minimalist and natural. The production, manufacturing, and installation processes do not contain any toxic or harmful substances. The company's products have passed the EU CE certification and are truly a new generation of green and environmentally friendly products. They can be customized into office conference tables, dining tables, dormitory desks, outdoor park chairs and other series of products according to customer needs.

海思创桌面板一次性成型无拼接,可任意裁切,广泛应用于各类家具面板,常规厚度为12-15mm,通过不同饰面颜色的选用搭配, 包含纯色、木纹、石纹及金属饰面等多个系列,为您打造美观、舒适的家居环境。

HAISICHUANG table tops are formed in one piece without splicing and can be cut arbitrarily. They are widely used in various furniture panels. The conventional thickness is 12-15mm. Through the selection and matching of different surface colors, including solid colors, wood grains, stone grains and metal finishes, etc., they creat a beautiful and comfortable home environment for you.

【海思创桌面常用规格】【Common Specifications of HAISICHUANG Desktops】

桌面厚 Desktop Thickness(mm)	款型 Model	直径 Diameter(mm)	长度 Length(mm)	宽度 Width(mm)
12-15	长桌 square table		最大/Max 3000	最大/Max 1200
	圆桌 Round table	最大/Max 1200		

备注: 可根据用户的特殊要求定制生产。 Can be customized according to users' special requirements.

【海思创办公桌系列】[HAISICHUANG Office Desk Series]



会议桌A款 Conference Table Model A 海思创茶吧桌系列】(HAISICHUANG Tea Bar Table Series)

茶吧桌A款 Tea Bar Table Model A



电脑桌B款 Computer Desk Model B



茶吧桌B款 Tea Bar Table Model B

【海思创餐桌系列】【HAISICHUANG Dining Table Series】



餐桌A款 Dining Table Model A



户外餐桌B款 Outdoor Dining Table Model B

【海思创掼蛋桌系列】 [HAISICHUANG Guandan Game Table Series]



A款: 80cm B款:90cm Model A: 80cm Model B: 90cm



桌面可根据客户需求定制生产 The desktop can be customized according to customer needs

产品索引表】【Product Index Table】

款型/ Model	尺寸/Size (mm)	重量/Weight(kg)	备注/Remarks	
会议桌A款 Conference Table Model A	2000*1000*750	约35/About 35		
电脑桌B款 Computer Desk Model B	1200*700*750	约30/About 30		
餐桌A款 Dining Table Model A	1200*600*750	约28/About 28		
户外餐桌B款 Outdoor Dining Table Model B	1200*700*750	约30/About 30		
茶吧桌A款 Tea Bar Table Model A	1000*500*450	约20/About 20	可担据应用权息。会制化文	
茶吧桌B款 Tea Bar Table Model B	600*450	约20/About 20	可根据应用场景 定制生产 Can be customized	
掼蛋桌A款 Guandan Table Model A	800*800*750	约24/About 24	according to application	
掼蛋桌B款 Guandan Table Model B	900*900*750	约28/About 28	scenarios	
户外公园座椅A款 Outdoor Park Chair Model A	1200*580*780	约45/About 45		
户外公园座椅B款 Outdoor Park Chair Model B	1200*300*700	约29/About 29		
户外公园座凳A款 Outdoor Park Bench Model A	120044004450	约26/About 26		
户外公园座凳B款 Outdoor Park Bench Model B	1200*400*450	约26/About 26		


所介绍的内容仅供借鉴、参考,如有疑问,请与公司销售人员联系。

The contents introduced are for reference only. If you have any questions, please contact the company's sales staff.




【海思创桌系列安装方式】(Installation Method of HAISICHUANG Table Series)











放置面板

Place the panel

Open the bracket

Install the suction cup

备注: 吸盘数量根据海思创桌面尺寸配置, 保证整体桌子的稳固。吸盘尺寸为Φ34mm。

Note: The number of suction cups is configured according to the size of the HAISICHUANG desktop to ensure the stability of the overall table. The size of the suction cup is \$\Phi\$ 34mm.

海思创户外公园椅具有良好的防水性能和耐久性,通常公园椅板厚度为20-25mm,板材密度大、孔隙率低,不透水性能良好,适 合在湿度较高的环境中使用。同时具有硬度高、抗压强度好、抗冲击等特点,能够有效抵御外部风吹雨淋的侵蚀,即使长期暴露在 室外环境中也能保持性能稳定。

HAISICHUANG outdoor park chairs have good waterproof performance and durability. Usually, the thickness of the park chair panel is 20-25mm. The board has high density, low porosity, and good water impermeability, making it suitable for use in high humidity environments. At the same time, it has the characteristics of high hardness, good compressive strength, and impact resistance, which can effectively resist the erosion of external wind and rain. Even if it is exposed to the outdoor environment for a long time, it can maintain stable performance.

【海思创户外公园椅常用规格】【Common Specifications of HAISICHUANG Outdoor Park Chairs】

	板材厚度/Panel Thickness(mm)	款型/Model	长度/Length(mm)	宽度/Width(mm)	高度/Height(mm)
	20-25	户外长椅 Outdoor chair	1200-1500	580-620	780
		户外长凳 Outdoor bench		400-500	450

备注:可根据用户的特殊要求定制生产。

Remark: Can be customized according to users' special requirements.

[HAISICHUANG Outdoor Park Chair Series]



户外公园座椅A款 Outdoor Park Chair Model A



户外公园座椅B款 Outdoor Park Chair Model B



户外公园座凳A款 Outdoor Park Bench Model A



户外公园座凳B款 Outdoor Park Bench Model B

【海思创桌椅板技术性能指标】【Technical Performance Indicators of HAISICHUANG Table and Chair Panels】

性能指标/Performance Indicator		产品数据/Product Data	
规格 Specification		1220*2440 (4880)*(12-25) mm	
	密度 Density	$1.4 \mathrm{g/cm^3 < D} \leq 1.7 \mathrm{g/cm^3}$	
抗折强度 Bending	气干 Air-dry	≥20MPa	
strength	饱水 Water-saturated	≥18MPa	
	不燃性	A1级不燃性材料	
	Non-combustibility	Class A1 non-combustible material	
	吸水率 Water absorption	≤25%	
	湿胀率 Moisture expansion rate	<0. 23%	
	放射性	A类装修材料	
	Radioactivity	Class A decoration material	
	浸泡-干燥性能	经过50次循环试验, 抗折强度比率≥70%	
	Immersion-drying performance	After 50 cycles of tests, the flexural strength ratio ≥70%	
	抗冻性试验	经过100次冻融循环,不得出现破裂、分层	
Frost resistance test		After 100 freeze-thaw cycles, there shall be no cracking or	
热水性能		抗折强度比率≥60%	
	Hot water performance	Flexural strength ratio ≥60%	
	执行标准: JC/T 412.1-2018《纤维水泥平板第一部分:无石棉纤维水泥平板》		

Executive standard: JC/T 412.1-2018 "Fiber Cement Flat Sheets Part 1: Asbestos-free Fiber Cement Flat Sheets"



【海思创家具系列产品性能优势】【Performance Advantages of HAISICHUANG Furniture Series Products】



绿色环保

Green and Environmentally Friendly 100%不含石棉、苯及甲醛等有害物质,使用过程中不产生有毒气体或辐射 100% free of asbestos, benzene, formaldehyde and other harmful substances, no toxic gases or radi-



防水防潮 Waterproof and Moisture-Proof

在长时间的潮湿环境下, 不会出现腐烂、 开裂等现象, 保持良好的使用寿命 In a long-term humid environment, it will not rot, crack, etc., and maintain a

good service life



防火阻燃 Fire and Flame Retardant

板材属A1级不燃材料,不会燃烧,即使火灾中也不会产生有毒烟雾,无火焰传递 The board is a class A1 non-combustible material, will not burn, and will not produce toxic fumes in case of fire, with no flame transmission



物理性能好


Good Physical Properties 具有抗冲击、高强度等优点

It has the advantages of impact resistance and high strength



耐候性好

Good Weather Resistance 通过50次浸泡-干燥循环、100 次冻融循环测试 Passed 50 immersion-drying cycles and 100 freeze-thaw cycle tests



防腐防蛀

Anti-Corrosion and Anti-Moth 用料讲究, 使得板材抗老化、抗风化、耐久性能好, 不会霉变腐烂, 各种虫蚁对它也无能为力 The materials are carefully selected, making the board anti-aging, anti-weathering, and has good durability. It will not mildew and rot, and all kinds of insects and ants can do nothing to it



色彩丰富 Rich Colors

可定制纯色、木纹、石纹及金属饰面

Can be customized with solid colors, wood grains, stone grains and metal finishes



安装便捷

Convenient Installation 板材可钻、可钉, 无需油漆

The board can be drilled and nailed without painting

【优劣势对比】【Comparison of Advantages and Disadvantages】

性能 Performance	海思创家具 HAISICHUANG Furniture	木质 Wood	金属 Metal
外观性能 Appearance performance	可定制纯色、木纹、石纹及金属饰面 Can be customized with solid colors, wood grains, stone grains and metal finishes	自然、温暖及质朴 Natural, warm and simple	现代工业风格 Modern industrial style
价格比较 Price comparison	适中 Moderate	较高 Relatively High	适中 Moderate
耐候性能 Weather resistance	耐冻融100次循环无破坏,耐候性好 Resistant to 100 freeze-thaw cycles without damage, good weather resistance	干缩、湿涨容易变形, 易腐蚀,耐候性差 Easy to shrink when dry, expand when wet and deform, easy to corrode, poor weather resistance	steel, good weather resistance
防火性能 Fire performance	绝对不燃,导热性低 Absolutely non-combustible, low thermal conductivity	易燃 Flammable	A级防火,导热性高 Class A fire resistance, high thermal conductivity
环保性能 Environmental performance	绿色环保,甲醛释放量极低,无异味 Green and environmentally friendly, extremely low formaldehyde emission, no peculiar smell	甲醛释放量较低,有异味 Low formaldehyde emission, with peculiar smell	上色或喷涂中含有少量甲醛,有异味 Contains a small amount of formaldehyde in coloring or spraying, with peculiar smell
舒适程度 Comfort level	手感温润 Warm to the touch	手感温润 Warm to the touch	体感冰冷 Cold to the touch

了解更多信息

请联系我们

For more information, please contact us

安徽海创新型节能建筑材料有限责任公司 ANHUI CONCH VENTURE NEW ENERGY-SAVING BUILDING MATERIALS COMPANY LIMITED

® 地址:中国•芜湖
ADD:WUHU.CHINA
TEL:+86-553-5630066
() 传真: 0553-5639055
FAX:+86-553-5639055



扫一扫 即刻关注